



Under instructions from Andrew Fielding & David Whyte of BDO as receivers and managers of the vessel.



2008 76FT Vitech Motor Yacht

FOR SALE

Ray White Marine



Specifications

Boat Details

Price	FOR SALE	Boat Brand	Vitech
Model	76ft	Length	23.20
Year	2008	Category	Motor Yachts
Hull Style	Single	Hull Type	GRP
Power Type	Power	Stock Number	0
Condition	Used	State	Queensland
Suburb	MAIN BEACH	Engine Make	CATERPILLAR

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Specifications for 76FT Vitech Motor Yacht

REBEL May 08

Length overall: 76FT 23.2 m

Beam: 19FT 5.8m

Displacement: approx. 58 tons

Fuel: 8260 liters

Water: 1,000 liters

Engines: Twin CATERPILLAR C15 865HP, diesels

Top speed: around 16 knots

A total of 10 stainless steel cleats, with the necessary hawse pipe are installed on both sides of the boat (incl. 2 retracting cleats on the swimming platform).

Insulation

Soundown insulation below waterline in all areas other than engine room. Extra sound insulation between engine room and master head, master cabin and forward landing and between engine room and aft VIP cabin.

Chain locker

The chains compartment is placed ahead of the watertight collision bulkhead.

On the deck there are two hinged hatches for the inspection of the chain locker. Two fiberglass hanging baskets inside, being able to be lifted by s/s handles. The chain is fixed to the deck beams by means of a quick-release hook, near the hatches openings. The bottom of the chain locker is placed above the waterline and self drains through a scupper aside the stem post.

Anchor system comprises of:

- Maxwell anchor windlass, with controls at both helm stations and water proofed step controls at bow.
- 60 kg SS anchor Plow
- Bow rollers.
- Anchor protection on hull.
- 110 meters anchor chain with first 2 meters in stainless steel.
- Sea water anchor wash with spray nozzles on bow.

Hatches.

An opening hatch, which acts both as an escape hatch, as well as a skylight is positioned over the VIP stateroom. Another escape hatch is located in the dining area, for MSR escape.

Windows, doors, portholes, manhole

All external windows, above deck will be frameless, directly bonded to the fiberglass. Front wind shield is 10 mm tempered glass, plain. Side windows are 6 mm, lightly tinted grey. One galley window can open.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

The saloon entrance door from afterdeck has stainless steel frames and tempered lightly tinted glass. The door is manual opened. Stoppers are in position for the door slide when opened.

The aft cabin entry and head doors, the master entry door, the two master head and wardrobe doors are solid timber, with extra thick jams and hinges.

One side door is fitted aside the dinette. The yacht is equipped with stainless steel opening oval shaped portholes. They have 8 millimeters security glass and are all fitted with insect screens.

Handrails

All the handrails are built with 316 grade stainless steel, 50 millimeters diameter on bulwark and 40 millimeters elsewhere. Staunchions are 32 mm and they sit into a station base which is bolted to the top of the bulwark, without plates. Opening of the rail and bulwark sections on the sides of the handrail are provided, for side boarding.

Fly bridge

Molded with PVC foam sandwich, the fly bridge has teak flooring forward of crane, non-skid GRP aft of crane. External furniture and a helm station are also molded in sandwich construction. The fly bridge supports a hard-top and integrated radar arch, with KVH G6 Track vision and Tracphone Satellite domes.

The hardtop has 8 reset down lights and 2 speakers. Two blue color LED night lights under, separately switched on lower helm. Otherwise, the fly bridge has:

- Access hatch & steps from after deck. Stainless with glass
- Access hatch & steps from dinette. Stainless with glass
- High U-frame removable rails on aft section.

Stainless steel #316 handrail with acrylic windshield, extended aft wards to ensure safe rail height GRP helm seat box with electrical height adjustable seat, reversible back support Fiberglass cabinet on aft section, with doors and locker with U-Line Fridge/icemaker and Smeg BBQ with cabinet under for gas bottle and stowage, with vent.

Opecmare model 3010/37, 400Kg crane.

Zodiac 380 Yachtline centre console tender with 40HP Yamaha 4 stroke outboard

Stern flag pole socket

Stairs down to aft deck with blue step LED lights on each step, switched on lower helm

5 underwater lights, Sea Vision model SV10

- Sun bathe cushions
- Removable stainless rail chocks for tender
- Two flood lights to swim platform, switched from aft deck
- PAR remote controlled search light at forward brow, controllers on both stations
- Molded L-shaped sofa with cushion covers to port side.
- Coffee table on SS pedestal.

Upper Helm Station

Power assisted hydraulic steering system off engine pump

Kobelt electronic gear and throttle controls

Stainless steel/teak steering wheel

Start stop engines keys

Audible and visual engine alarms

Engine RPM gauges LCD CAT

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Naiad combined bow and stern thruster control panel

Remote windlass control with chain meter

Search light remote control

Marine horn with control on both stations

Magnetic compass

Naiad Stabilizer control

Raymarine:

2 X E120 Multi Display

1 X ST8002 Autopilot Control Head

1 X ST290 Graphic

1 X ST290 Compass

1 X DSM300HD Digital Module

1 X Ray240E VHF Radio

1 X E Series Remote Station Kit with E02009 15"

1 X ST290 Wind Remote Sun View VGA Monitor

ISCAN180 Interphase forward looking sonar display

4 X Raystar 125 SDGPS Antenna

1 X 4KW 6' Open Array Radar System

1 X ST100 Wireless Autopilot Remote

with one base station.

Engines and drive train

Twin Caterpillar C15 with 865HP, diesel

ZF gear box 325A 2.417:1 reduction ratio

PTO on both engines

Engine seawater intake Y-valve bilge system

Fresh water-cooled engines

Double Racor fuel filters

2-3/4" diameter of stainless steel shafts

5 bladed propellers

Main & intermediate stainless steel I struts

Easy accessible shaft logs with Tides shaft seal

Naiad 35 hp hydraulic bow thruster

Naiad 25 hp hydraulic stern thruster

Naiad hydraulic stabilizers

Deck fittings

Bow roller & chain locker with hatch

Salt-water anchor wash down with Xcalibre Head Hunter pump and sprays on bow, switched on lower and upper helm

Fresh water anchor sprays on stainless chain guard, switched on lower and upper helm

Reversible Maxwell VWC3500HT hydraulic anchor windlass with two station controls and chain counters on upper and lower stations

Stainless steel #316 chain strippers with stoppers

Stainless steel #316 cleats on bow, amidships and afterdeck with hawses

Anchor protection stainless steel chafe plate

Rubber rub rail with stainless steel insert

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Water & fuel fillers

Deck lights & full set navigation lights

Six stainless steel oval shape (middle 2 opening) portholes

Forward deck

Teak decking

Fresh water deck wash separate pump, provision of pressure water tap for gurney in garage

Reinforced anchor winch mount

Two lockers with gas strut operated lids, with 2X 240Volt 50 amp power inlets in port locker and city water inside and porthole next

Sun lounge pad on foredeck

Bow seat with locker under

14" x 24" hatch

Chain lockers with built-in shelving

Aft deck

Stainless steel #316 frame sliding door to salon with light tinted glass

Stair with handrails to fly bridge and stair lights

Stainless steel hatch to fly bridge

Sink and cabinet

Molded stairs down to swimming platform with rails and lights

Fresh water deck wash

Garage with water tight manual 900mm door with key lock, inside floor with drain throughout, double GFI power socket and shelving inside and air compressor outlet

Walkway to fore deck with side lights on superstructure and inside bulwark

Aft deck FRP seat with cushions & teak inlaid table with stainless steel adjustable base

Self draining & freeing ports

Afterdeck halogen lights with dimmers

Blue LED lights on stairs and walk ways to switch lower helm

Third station, with Kobelt engine controls, stop-start buttons and twin thruster controls

Transom hot & cold fresh water shower

Removable stainless rail chocks for tender

Stainless steel #316 swimming ladder with timber steps

Teak deck on aft deck, side walks and hydraulic swimming platform

U shaped 1.5" stainless steel removable guard rails on hydraulic swimming platform

City water on stairs

'Yachtsign' boat name on stern

LENCO Trim Tabs with indicators on lower and upper helm

Interior

High quality upholstery and curtain fabrics

Cherry timber furnishings

High gloss finish

High quality door handles & cabinet latches

Wood/granite for all cabinet tops

Lower Helm station

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Power assisted hydraulic steering system off engine pump
Kobelt electronic gear and throttle controls
Stainless steel/teak steering wheel
2 low amperage overhead dashboard lights with dimmer
Start stop engines keys
Audible and visual engine alarms
Engine RPM gauges LCD CAT
Bilge pump visual and audible warning indicators
Boat panel with lights for bilge pump, high-level alarm, engine room blowers and navigation lights
Naiad combined bow and stern thruster control panel
Stabilizers control panel
Two Onan genset control panels
Remote windlass control with chain meter
Search light remote control
Marine horn remote control
Electrical compass
2 Mastervolt charger/inverter controls (1 optional)
'Tankwatch' (3 x fuel, 1 x fresh water)
Various switches for designated equipment and lights
Two water maker controls/indicator panels (1 optional)
Engine room fire extinguisher warning system
Dashboard in black leather and teak
Raymarine Electronics:
2 X E120 Multi Display
1 X 15" Remote Sun View VGA Monitor with Nobeltec Navigation software
1 X ST8002 Autopilot Control Head
1 X ST290 Graphic
1 X ST290 Compass
1 X DSM300HD Digital Module
1 X Ray240E VHF Radio
1 X E Series Remote Station Kit with E02009
Interphase forward looking Phased Array Scanner iScan 180
Nobeltec AIS200

Saloon

Harwood floor with rubber underlay carpet
Overhead in synthetic leather
Sculptured ceiling centre
Halogen ceiling lights on Vimar dimmer switches two locations (extra 5 optional)
Drapes to all windows and curtains to aft doors
Stairs leading down to aft cabin and laundry in solid wood steps with art centre
Entertainment cabinet
Bose 'Lifestyle 48' Entertainment System throughout upper deck
40" Sony Bravia Flat screen TV, stereo & speakers with surround sound
Selection of storage cabinets and glass rack and bottle holders
Wood/granite cabinet tops

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Galley and Dining area

Marble and stainless steel floor
Central vacuum system outlet
Overhead in synthetic leather
Halogen ceiling lightings with Vimar dimmer switches in 2 locations
Drapes to all windows
Kleenmaid induction 4 burner cook top
Kleenmaid self cleaning pyrotectic oven
2 Liebherr under bench freezers
1 Liebherr under bench fridge
Kleenmaid wine fridge
Insinkerator Trash Compactor
Kleenmaid Waste Disposal Professional Series
Frankie steel sink
Kleenmaid full size dishwasher
Stainless steel GL microwave, with extractor to outside and with high flow extractor fan
Grohe Europlus faucet with extendable shower
Granite worktops (standard Corian)
Selection of drawers below worktops
Dining table with corner upholstered seating
Stairs down to accommodation same as other stairs with art centre
Starboard side door opening to main deck
Stairs to fly bridge with storage cupboards under
AC and DC electrical control panels
1X STIDD electric pilot chair
Pull out pantry cupboard
Starboard side cabinet, counter top in granite (standard Corian)
Cabinets in timber and smoked glass
Inside cabinets and drawers in white formica or cherry
Aus GFI power sockets in various locations
Crockery, cutlery, glassware, towels, etc.

Master stateroom

Carpet on rubber underlay finish floor
Custom ceiling design
Overhead in synthetic leather
Halogen ceiling lightings with bedside dimmer and wall side switches
Curtains or drapes to all windows
Bed with upholstered bed head with air con outlets
Couch in fabric on port
Large walk-in wardrobe with drawers under
All wardrobes, cabinets and drawers in all cabins in cedar
Selection of cupboards and storage
Mirror
High-low cabinet with 32" Sony Bravia flat screen TV
Bose 321GSX Sound system with surround sound
2 x bedside reading lights with dimmer switches

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Make-up section with drawers and chair

Six stainless portholes, one each side middle one opening with screens, all outside frameless

Australian power sockets

Extra heavy duty sound insulation between master and landing

1 X Raymarine ST290 Graphic Display

1 X Audio Alarm to Raymarine Anchor Alarm on lower helm E120.

Master Head

All head and shower floors granite

All shower walls (standard Corian)

All head ceilings bronze mirror with waterproof lights

Headhunter Royal Flush Super bowl head

Granite vanity tops with two inset ceramic sinks

'Grohe Euro Monobloc chrome basin mixers'

Cupboards under vanity top

Mirror and cupboards above vanity top

Opening porthole with screen

Electric heated towel rack

Exhaust blower

Large walk in shower with stainless steel framed glass door smoked glass

Patterned smoked glass dividing panel between shower and head

Toilet paper roll holder

FRP shower ceiling with 2 waterproof halogen light, in corners

Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower

Australian GFI power sockets

Forward stateroom

Custom ceiling design

Overhead in synthetic leather

Halogen ceiling lightings with dimmer switch

Drapes to all windows

Queen size bed with upholstered bed head

Large wardrobe with drawers under

Couch in fabric

Selection of storage cupboards

Mirror

2 x bedside reading lights with dual switches

Carpet on rubber underlay floor

Opening portholes with screens

Australian Power sockets

Forward head

Bronze mirror ceiling with waterproof lights

Headhunter toilet

Granite floor

Marble vanity tops with inset ceramic sink (Standard Corian)

Australian GFI power sockets

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Cupboards under vanity top
Cupboards above vanity top
Opening porthole with screen
Exhaust blower
Large walk in shower with stainless frame patterned smoked glass door
Marble shower floor with drain
Corian shower wall
FRP shower ceiling with waterproof halogen light
Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower

Aft VIP cabin
Carpet on rubber underlay finish floor
Custom ceiling design
Overhead in synthetic leather
Halogen ceiling lightings, switched on wall and dimmed from bedside
Drapes to all windows
Queen size bed with upholstered bed head
Large wardrobe with drawers under
Couch in fabric on starboard
Selection of storage cupboards
Mirror
Flat screen TV
2 x bedside reading lights, switched at bedside
Opening portholes with screens
Australian Power sockets

Aft VIP head
Bronze mirror ceiling with waterproof lights
Headhunter Royal Flush Super bowl bone color toilet
Granite floor
Marble vanity tops with inset ceramic sink (standard Corian)
Heated towel rack
Australian GFI power sockets
Cupboards under vanity top
Cupboards above vanity top
Opening portholes with screens
Exhaust blower
Large walk in shower with stainless framed with smoked glass patterned door
Marble floor with drain
Corian shower walls
FRP shower ceiling with waterproof halogen light
Grohe Relexa plus Dual HP/LP chrome faucet for basin and shower

Aft companion way area
Engine room access watertight door with sound insulation and window
Granite floor with 2" marble kick board

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Aft Utility area

Kleenmaid washing machine
Kleenmaid tumble drier
Power and plumbing connections
Vanity with mirror and marble counter top
Granite floor with drain and 2" granite kick board

Steering system

Hydraulic steering by Teleflex, autopilot required
Stainless steel rudders w/stainless steel posts

Engine room and equipment

Watertight engine room bulkheads
Strengthened ceiling with stainless hand rails
Finished face white color
Grey rubber 'button' floor
Sea Chest
Watertight door to engine room with window
Leaded foam with aluminum plates for heat and sound insulation
Extra sound insulation in forward bulkhead
High volume nature engine air ventilation
Engine room intake and extractor fan
Engine exhaust silencers and water cooled exhausts
Engines mounted on quiet and integrally bonded
Engine alarm system for low oil pressure and high temperature
Engines start & stop button
24v lights and 240v lights with switches next to access door
Two sets double GFI 240v Aus. power sockets
Water-cooled exhaust under water and by-pass outlets above water at transom
Cathode protection for gearbox
Gearbox, engines, fuel tanks, fillers, etc. all electrically bonded
Automatic electric bilge pumps with high water level alarm
Wrap exhaust pipe from engines for additional noise and heat insulation
Fire boy fire extinguishing system
Automatic shut off fire system
Cruise Air air-conditioning, 240 volt AC/50HZ reverse cycle with total 120,000 BTU. Individually controlled in each cabin, including air conditioning to all heads and utility areas.
Sound shielded Onan Generator 13.5 kw x 1 (on special rubber mounts)
Sound shielded Onan Generator 22.5 kw x 1. (on special rubber mounts)
Both with split exhaust systems, outlets at the sides of the boat.
Racor fuel / water filters for generators
Cold Fresh water outlet with tap
Reverso Oil Change System- 6 valves, on 2 engines, 2 gear boxes and 2 gensets
Fitting and mounts for generators and accessories
Sump pumps with alarms
Fresh water fill for engines
Engine driven high volume bilge pump

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Electrical

ABB Power Source Electro Magnetic Selector Switch

100A Dolphin Power Supply

Color code marine grade wiring systems for easy identification

2X main electrical panels for separate AC power control and AC circuit breaker panel plus earth leakage circuit breaker in dining area/stairways

12V / 24V DC panel with master switches

1 x Mastervolt 30amp 12V battery charger for radio batteries and navigation lights (on fly bridge)

1 x Mastervolt 30amp 12V battery charger for generator batteries

1 x Mastervolt 30amp 24V battery charger for engine batteries

2 x Mastervolt 120A/4000Watt 24V Mass Combi battery charger/inverters for domestic use batteries with digital info system at lower helm (1X Optional)

2 x Mastervolt BI-702 Charging isolator

10x Mastervolt 12/220 gel batteries for domestic system (4X optional)

4 x 200amp dry cell batteries for engines start

1 x 80amp battery for radio and navigation lights (on fly bridge)

2 x 120amp batteries for generators

Enclosed acid-proof fiberglass battery boxes with covers

High quality AC sockets and switches

2 x 50 amp shore power sockets, in port side foredeck locker, with port hole

2X 50 amp shore power sockets on aft

TV antenna wiring system with 5 outlets (saloon, dinette, master, aft VIP, forward cabin and aft deck)

Rope lights on valances

Vacumaid central vacuum system

All ceiling lights Imtra

Sharp high definition colour CCTV system, with switcher on lower helm, 2 x camera in engine room, 1 x aft platform, 1 x aft deck

Plumbing

Aluminum fuel tanks with level sign gauge, separate filler and vents

Stainless steel water tanks with level sign gauge, separate filter and vents

Shore water inlet and connect by fresh water system

2 x 20gallon water heaters

All main pressure pipes 'SHOREFLOW 1"', all branches ½"

2X fresh water 'Headhunter Mach 5' 240 volt pumps, 1 pump for master ensuite and forward VIP ensuite, second pump for aft cabin ensuite, galley, swim platform shower, fresh water deck wash, engine room and garage. Two accumulators.

Over-ride valve system for back-up in case of break-down of one.

Two holding tanks (50gallon aft and 100gallon forward with macerator pump and deck discharge,

Y valve for dockside pump out

All waste points to have Y-valves for overboard drainage

Holding tank gauges on electrical panel

2 X water makers (Sea Recovery Ultra Whisper UW500) on separate sea cocks/strainers and inlet filters (1X optional)

3 X Enclosed grey water holding tanks with pump and automatic float switches

3 x 2000GPH and 2 x 3700GPH electrical bilge pumps with automatic float switches in 4 compartments

Color-coded plumbing system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Miscellaneous

Hull boot stripes in Navy Blue

3 layers of gel shield before bottom paint in Navy Blue

Emergency tiller

Under instructions from Andrew Fielding & David Whyte of BDO as receivers and managers of the vessel.

Disclaimer: We have, in preparing this information, used our best endeavours to ensure that the information contained therein is true and accurate, but accept no responsibility and disclaim all liability in respect of any errors, inaccuracies or misstatements contained herein.

Parties interested in any Ray White Marine services and/or products should make their own inquiries to verify the information contained herein.

Features

Water (Potable) Capacity (l)	1000
Length (m)	23.2
Beam/Width (m)	5.8
Number Of Engines	2
Horse Power (hp)	865
Fuel Type	Diesel
Fuel Tank Capacity (L)	8260

Engine Details

Engine Make	CATERPILLAR
Horse Power	865
Fuel Type	Diesel
Fuel Capacity	8260

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.